

1/11





Figure 1

2/11

**Figure 2**

3/11





Figure 3

4/11



1: 1 µg/ml
2: 100 ng/ml
3: 10 ng/ml
4: 1 ng/ml
5: 100 pg/ml
6: 10 pg/ml
7: 1 pg/ml
8: 100 fg/ml
9: Ladder
10: 10v0
11: 10v-1
12: 10v-2
13: 10v-3
14: 10v-4
15: 10v-5
16: 10v-6
17: 10v-7

Figure 4

5/11





Figure 5

- 1: Ladder
- 2: 1µg/ml
- 3: 100ng/ml
- 4: 10ng/ml
- 5: 1ng/ml
- 6: 100pg/ml
- 7: 10pg/ml
- 8: 1pg/ml
- 9: control
- 10: Ladder


6/11



- 1: Ladder
- 2: 1 μ g/ml
- 3: 100ng/ml
- 4: 10ng/ml
- 5: 1ng/ml
- 6: 100pg/ml
- 7: 10pg/ml
- 8: 1pg/ml
- 9: 100fg/ml
- 10: 10fg/ml
- 11: 1fg/ml
- 12: control
- 13: control
- 14: Ladder

Figure 6

7/11



- 1: Ladder
- 2: 100 ng/ml
- 3: 10 ng/ml
- 4: 1 ng/ml
- 5: 100 pg/ml
- 6: 10 pg/ml
- 7: 1 pg/ml
- 8: 100 fg/ml
- 9: 10 fg/ml
- 10: 1 fg/ml
- 11: Ladder
- 12: water
- 13: water
- 14: prototype
- 15: prototype
- 16: prototype
- 17: Orthokin
- 18: Orthokin
- 19: Orthokin
- 20: Ladder

Figure 7

8/11




Figure 8




Figure 9

10/11




Figure 10

11/11




Figure 11